

Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A work station comprising:
 - a base;
 - a riser extending upwardly from said base;
 - a support arm pivettally connected to said riser at a vertical pivot, said support arm having a first section on a first side of said riser and a second section on a second side of said riser;
 - a table affixed to said second section of said support arm;
 - a counter weight affixed to said first section of said support arm wherein said counter weight may be selectively offset from a longitudinal axis of said support arm ; and
 - wherein said counter weight at least partially counterbalances weight on said second section of said support arm to allow allows for said support arm to be easily pivoted from a work position to a second position[.]]; and
 - wherein said counter weight may be selectively offset from a longitudinal axis of said support arm for counterbalancing articles on said table when said

support arm is in said second position.

2. (Currently Amended) The work station according to claim 1 wherein:

said base extends beneath a human support device from a first side to a second side of said human support device.

3. (Original) The work station according to claim 2 further comprising:

components in communication with a first end of said base; and
components in communication with a second end of said base.

4. (Original) The work station according to claim 1 further comprising:

a support for engaging a second end of said support arm to stabilize said support arm when said support arm is in said working position.

5. (Original) The work station according to claim 1 further comprising:

a support affixed to said riser for stabilizing said support arm when said support arm is in said work position.

6. (Original) The work station according to claim 1 wherein:
said riser is adapted to be adjustable with respect to height.
7. (Original) The work station according to claim 1 wherein:
said table is pivotally mounted on said support arm.
8. (Original) The work station according to claim 1 wherein:
said table defines a plurality of retaining members for affixing selected computer components to said table.
9. (Original) The work station according to claim 1 wherein:
said second position of said support arm allows for a user to have unobstructed ingress to and egress from a human support device.
10. (Canceled)
11. (Currently Amended) A work station comprising:
a base that extends beneath a human support device from a first side to a

second side of said human support device;

a riser extending upwardly from said base;

a support arm pivotally connected to said riser;

a table affixed to said support arm;

a support for engaging a second end of said support arm to stabilize said

support arm when said support arm is in a work position;

wherein said support arm may be pivoted from [[a]] said work position to a second position, said second position allowing a user to have unobstructed ingress to and egress from [[a]] said human support device.

12. (Original) The work station according to claim 11 wherein:

 said support arm has a first section on a first side of said riser and a second section on a second side of said riser; and further comprising
 a counter weight affixed to said first section of said support arm.

13. (Canceled)

14. (Currently Amended) The work station according to claim [[13]] 11 further

comprising:

components in communication with a first end of said base; and

components in communication with a second end of said base.

15. (Original) The work station according to claim 11 further comprising:
a support for engaging a second end of said support arm to stabilize said support arm when said support arm is in said working position.
16. (Canceled)
17. (Original) The work station according to claim 11 wherein:
said riser is adapted to be adjustable with respect to height.
18. (Original) The work station according to claim 11 wherein:
said table is pivotally mounted on said support arm.
19. (Original) The work station according to claim 11 wherein:
said table defines a plurality of retaining members for affixing selected

computer components to said table.

20. (Original) The work station according to claim 11 wherein:
said second position of said support arm is substantially vertical.
21. (Currently Amended) A work station comprising:
a base that extends beneath a human support device from a first side to a second side of said human support device;
a riser extending upwardly from said base;
a support arm pivettally connected to said riser at a vertical pivot;
a table affixed to said support arm; and
wherein said table is adapted to be positioned to provide a work area for a user who is in a substantially reclined position, wherein said table permits the user to support the user's elbows on [[a]] said human support device while accessing said work area.
22. (Currently Amended) The work station according to claim 21 wherein:
said table is adapted to support a computer monitor, keyboard and peripheral

device, said table further adapted for positioning the monitor, the keyboard and the peripheral device in an ergonomic viewing position with respect to a user who is in a substantially reclined position, said table further adapted to retain said monitor, said keyboard and said peripheral device on said table when said table is pivoted vertically on said support arm.

23. (Original) The work station according to claim 21 wherein:
 - said table is mounted on a support arm; and
 - said support arm may be pivoted from a work position to a second position, said second position allowing for a user to have unobstructed ingress to and egress from the human support device.
24. (Original) The work station according to claim 23 wherein:
 - said second position of said support arm is substantially vertical.
25. (Original) The work station according to claim 21 wherein:
 - said support arm has a first section on a first side of said riser and a second section on a second side of said riser; and further comprising

a counter weight affixed to said first section of said support arm.

26. (Original) The work station according to claim 21 wherein:
- said table defines a plurality of retaining members for affixing selected computer components to said table.
27. (Currently Amended) A method of facilitating ease of ingress to and egress from a work station comprising the steps of:
- providing a pivotally supported support arm having a first section on a first side of a pivot and a second section on a second side of a pivot;
- affixing selected items to a work area affixed to said second section of said support arm;
- affixing weight to said first section of said support arm for substantially balancing said support arm about said pivot, thereby enabling said support arm to be vertically pivoted to a desired location with minimal effort.

28. (New) The work station according to claim 1 wherein:
said counter weight is pivotally affixed to said first section of said support arm.
29. (New) The work station according to claim 2 wherein:
said base is adjustable to accommodate different widths of said human support device.
30. (New) The work station according to claim 11 wherein:
said base is adjustable to accommodate different widths of said human support device.
31. (New) The work station according to claim 21 wherein:
said base is adjustable to accommodate different widths of said human support device.